



VIDYASAGAR UNIVERSITY

P.O.: Vidyasagar University, Midnapore-721102, Dist.: Paschim Medinipur,
West Bengal, INDIA.

Date: 17.07.2025

NOTIFICATION

In continuation to our earlier notification bearing Memo No. VU/R/Noti./240/2025 dated 10.02.2025 and in pursuance of the order issued by the District Magistrate, Paschim Medinipur bearing No. 250 QSF/JM dated 14.07.2025 regarding restrictions on the use of loud speakers / public address system and sound producing instruments to reduce the noise pollution in public places / open area, enclosed please find herewith a copy of the said Order for information and necessary action to all stakeholders of Vidyasagar University.

This notification is issued with the approval of the competent authority.


Sd/-
Registrar

Copy forwarded for information and necessary action to :

Memo No. VU/R/Noti./1053/2025 dated 17.07.2025.

- (1) The Deans of the faculty concerned;
- (2) The Head of all academic and administrative Departments - with a request to circulate the same amongst all members of his/her Department.
- (3) The Senior Information Scientist - with a request to upload the same on the University website for wide circulation.
- (4) The Office of the Senior Superintendent, Registrar's Office.
- (5) The Secretary to the Vice-chancellor for kind information of the Hon'ble Vice-chancellor.
- (6) The Establishment Section.
- (7) Guard file. Registrar




(Dr. J. K. Nandi)

Registrar
Registrar
VIDYASAGAR UNIVERSITY
Midnapore - 721102, W.B.



GOVERNMENT OF WEST BENGAL
OFFICE OF THE DISTRICT MAGISTRATE & COLLECTOR
PASCHIM MEDINIPUR DISTRICT, MIDNAPORE-721101
(JUDICIAL MUNSHIKHANA SECTION)

E-mail: jmpaschimmedinipur@gmail.com

(ISO 9001:2008 Certified)

No. 250.....QSF/JM

Date 14/07/2025

ORDER

To reduce the noise pollution in public places/open area restrictions on the use of loud speakers/public address system and sound producing instruments will be followed strictly as mentioned in Notification No. EN/3346/T-IV-6/001/2007 (Pt. II) dated 29.12.2009 of the Department of Environment, Govt. of West Bengal, Writers' Buildings, "G" Block, (2nd Floor), Kolkata-01.

1. A loud speaker or a public address system shall not be used except after obtaining written permission from the competent authority i.e. the Sub-Divisional Officer of the district of Paschim Medinipur.
2. A loud speaker or a public address system or any sound producing instrument or a musical instrument or a sound amplifier shall not be used at night time except in closed premises for communication within, like auditorium, conference rooms, community halls, banquet halls or during a public emergency.
3. A loud speaker or a public address system shall be used only from 6:00 AM to 10:00 PM in open area after obtaining necessary permission from the competent authority.
4. Use of loud speakers in public places / open area strictly prohibited before 3 days of commencement of Secondary & Higher Secondary Examination and till completion of such examination.
5. Permissible ambient noise level as notified by the Government of India under Environment (Protection) Act, 1986 should be maintained during the use of microphones. During the use of microphone in open air, sound limiter should be attached with amplifier for regulating noise level.

Head of the institutions, like hospitals, nursing homes, courts, universities, colleges and schools are also hereby informed to install a display board in a conspicuous place mentioning thereto that such area is a 'Silence Zone' and no one is allowed to use loud speakers in open air or use any kind of vehicular horn in the 'Silence Zone' area and also mentioning thereto is strictly prohibited

HENCE, all the aforementioned authorities are now hereby directed to implement the aforementioned prohibition, regulation and direction meticulously and in case of any violation, all implementing authorities should also initiate legal action in accordance with law.

This order will take immediate effect.

District Magistrate,
Paschim Medinipur
District Magistrate
Paschim Medinipur

Contd.....2